

L4

5 CHANNEL HD VIDEO SWITCHER

Multi-cam Streaming in Diverse Way

10.1" TOUCH SDI/HDMI



>> FEATURES

- 10.1-inch touchscreen, real-time preview 5 input sources + PST + PGM and operation interface
- Iconized touch operation, fast to learn; or buttons + knob operation
- Compatible with HDMI and SDI signal source, meet professional needs
- T-bar simply switch signal source or transition effects
- USB 3.0 fast to live streaming
- Embedded & Insert Audio with Sync
- Mix audio from multiple inputs
- Chrome key, creating an exciting studio
- Configurable PIP video overlay
- PC/Phone remote control via APP (Feelworld Live Plus)

>> 10.1-INCH LARGE TOUCH SCREEN, COMFORTABLE MONITORING AND EASY OPERATION




>> PACKING LIST





 Switcher	 3A Power Adapter	 USB3.0 Cable	 Quick Start Manual
---	---	--	---

>> PARAMETER

Description	Multi-format Video Mixer/Switcher
Model No.	L4
Screen	10.1" Touch Screen
Input	4xHDMI, 1xSDI
Output	1xHDMI, 1xSDI
	USB 3.0 *1 (Streaming)
Communication	LAN 1*RJ45
Audio	MIC, LINE IN
Input Resolutions	HDMI SMPTE 720p@50/60 1080i@50/60 1080p@24/30/50/60 2160p@30 VESA 1024X768@60 1280 X 720@60 1280 X 768@60 1280X800@60 1280X1024@60 1360X768 1366x768@60 1440x900@60 1600x1200@60 1680x1050@60 1920X1080@60 1920 X 1200@60 3840 × 2160@23.97/24/25/30
	SDI 720p (60/59.94/50/30/29.97/25) 1080i(60/59.94/50) 1080p (60/59.94/50/30/29.97/25/24/23.98)
Output Resolutions	HDMI SMPTE 720p@50/60 1080p@25/30/50/60 VESA 1024X768@60 1280x720@50/60 1280 X 768@60 1280X1024@60 1360x768@60 1920 × 1080@25/30/50/60
	USB 720p50/60 1080p25/30/50/60
Supported Standards	HDMI 1.4
	USB 3.0
Input Voltage	DC 12V/3A
Power Consumption	≤ 27W
working Temperature	0°C~60°C
Humidity	10%~85%
Unit Size	290.2(L) x 189.5(W) x 55.7(H)mm
Unit Weight	1.48kg

>> STRUCTURE





HDMI[®]
HIGH-DEFINITION MULTIMEDIA INTERFACE

CE **FC**



Zhangzhou Seetec Optoelectronics Technology Co., Ltd

E-mail: sales@feelworld.cn

Tel: +86-596-2182566

Website: www.feelworld.com.cn

Fax: +86-596-2672617

www.seetec.com.cn